Sent: Subject:	Fri 6/18/2021 1:05:43 PM (UTC) Re: [EXT]Call on Monday - Colonial Silver Restoration
Hopefully	as soon as we can get the equipment in and get the HASP done
> On Jun	18, 2021, at 9:03 AM, Nonresponsive based on revised scope wrote:
> Hi Chri need the c	s, one question I will be asked for provision of the chemist. When do you see this job starting in the field? How long will you chemist.
>	
> Nonres	ponsive based on revised scope
>	
>	
	ginal Message
	Wagner, Christine < Wagner. Christine@epa.gov>
> Sent: Fi	riday, June 18, 2021 8:48 AM
•=-=	nresponsive based on revised scope
> Subject	: [EXT]Call on Monday - Colonial Silver Restoration
> ***CAI	UTION*** This email originates from a source outside the company. Please use caution when opening attachments, clicking on
	following the senders request.
> ′	
> Good M	forning detendentive hand on revised stape
>	[*************************************
> Please t	ry to select an RM for this job by Monday. I have no objections to being the RM
> Please s	schedule a conference call on Monday with you, RM, chemist, and myself
>	
> I will pr	rovide a briefing and overall plans. I will prepare DWOs for visit and other work
-	eviously mentioned, I would like to utilize Shiloh Church personnel to the extent possible since they are already here and have They would also be entitled to 100% per dien while working on this Site
> We also	could free up personnel here to go to the NC office to pick up equipment
>	to the second state of the second to be seco
> Please of	consider these suggestions in your planning.
> > I can be	e reached all day today by phone at 804-337-3049
> 1 can be >	treached an day today by phone at 604-337-3047
> Thank y	you
> Chris	
>	
named ab- recipient, malware, occur whi	entiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity ove. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may le using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify
by return	e-mail. Thank you.

Nonresponsive based on revised scope

From: Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]

To: